

**RECEIVED**  
**CENTRAL FAX CENTER**

**FEB 07 2005**



*Philip G. Meyers Law Office*  
*1009 Long Prairie Road, Suite 302*  
*Flower Mound, TX 75022*  
*(972) 874-2852*  
*Fax (972) 874-2983*

**FACSIMILE COVER LETTER**

February 7, 2005

Please deliver the following pages to:

ATTN: Examiner Sam Rimell  
COMPANY/FIRM: USPTO  
CITY & STATE:  
Client/Matter No: 118776-1001  
Telecopier No: 703-305-3579  
FROM: Philip G. Meyers  
MY DIRECT DIAL NUMBER: 972-874-2703

NUMBER OF PAGES (including this cover sheet): 2

ADDITIONAL MESSAGE:

The information contained in this facsimile message is privileged and confidential and is intended only for the use of the addressee. If the reader of this message is not the addressee, or the person responsible for delivery to the addressee, you are hereby notified that any dissemination, distribution or copying of the message is strictly prohibited. If you have received this message in error, please immediately notify us by telephone and return the original message to us at the above address via the U.S. Postal Service. Thank you.

FEB 07 2005

Atty Docket Number: 118776-1001

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of: Mary E. Farmer Brock et al.

Serial No.: 09/327,593

Filed: June 8, 1999

Examiner: Sam Rimmel

Art Unit: 2165

For: INTERCHANGEABLE PANEL MODULAR DISPLAY

**VIA FACSIMILE - INFORMAL COMMUNICATION DO NOT ENTER IN FILE**

To: Sam Rimmel, Art Unit 2165

Proposed amendment to bring SN 09/327,593 into condition for allowance:

1. Cancel kit claims 12, 18, 23-25.
2. Amend claim 19 (rejected) to incorporate second clause of claim 3 (objected to) "wherein the first and second wall sections are mounted along two adjoining edges of the base", and amend claim 3 to read: "The display system of claim 19, wherein the base and wall sections are each rectangular."

We can agree to accept the allowable claims as they stand now but would prefer not to limit claim 19 to rectangular shaped panels. Is this acceptable?

Please call attorney Phil Meyers 972-874-2703 to discuss same.

- 1 -